

Product Fiche compliant to commission delegated regulation (EU) No 65/2014			
and FOSTER			
Nodel		7126047 -1	
EEI [%] Energy Efficiency Index - Main cavity <sup>1)</sup>		93.8	
EEI [%] Energy Efficiency Index - Secondary cavity 1)			
Energy Efficiency Class - Main cavity <sup>2)</sup>		А	
Energy Efficiency Class - Secondary cavity <sup>2)</sup>			
Energy consumption in conventional mode [kWh/cycle] - Main cavity <sup>3)</sup>		1.05	
Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3)			
Energy consumption in fan-forced mode [kWh/cycle] - Main cavity <sup>3)</sup>		0.91	
Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity <sup>3)</sup>			
Energy consumption in conventional mode [MJ/cycle] - Main cavity <sup>3)</sup>			
Energy consumption in conventional mode [MJ/cycle] - Secondary cavity <sup>3)</sup>			
Energy consumption in fan-forced mode [MJ/cycle] - Main cavity <sup>3)</sup>			
Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity <sup>3)</sup>			
Number of cavities		1	
Heat source - Main cavity		ELECTRICITY	
Heat Source - Secondary cavity			
Usable volume [I] - Main cavity		100	
Usable volume [l] - Secondary cavity			
<sup>1)</sup> Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.			
<sup>2)</sup> From A+++ (low consumption) to D (high consumption).			

<sup>3)</sup> Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

	Symbol	Value	Unit
Adel identification		7126047 -1	
ype of oven	MULTIFUNCTION		
Ass of the appliance	М	53.0	Kg
lumber of cavities		1	
leat source per cavity (electricity or gas)		ELECTRICITY	
/olume per cavity - Main cavity	V	100	
/olume per cavity - Secondary cavity	V		1
Energy consumption (electricity) required to heat a standardised load in a avity of an electric heated oven during a cycle in conventional mode per avity (electric final energy) - Main cavity	EC <sub>electric cavity</sub>	1.05	kWh/cycle
nergy consumption (electricity) required to heat a standardised load in a avity of an electric heated oven during a cycle in conventional mode per avity (electric final energy) - Secondary cavity	EC <sub>electric</sub> cavity		kWh/cycle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric inal energy) - Main cavity	EC <sub>electric</sub> cavity	0.91	kWh/cycle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric inal energy) - Secondary cavity	EC <sub>electric cavity</sub>		kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired avity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity	EC <sub>gas cavity</sub>		MJ/cycle kWh/cycle (a)
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity	EC <sub>gas cavity</sub>		MJ/cycle kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired avity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity	EC <sub>gas cavity</sub>		MJ/cycle kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired avity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity	EC <sub>gas cavity</sub>		MJ/cycle kWh/cycle
Energy Efficiency Index per cavity - Main cavity	EEIcavity	93.8	
Energy Efficiency Index per cavity - Secondary cavity	EEIcavity		